



Batch code: EUINDE-00038244
 Report code: AR-25-KV-012671-01



Report date: 10.04.2025

Pharma Biological - Jaipur
 G-104, RIICO Industrial Area,
 Prahladpura, Tonk road,
 302022 Jaipur
 Rajasthan, INDIA
 Santosh Sharma



Scan to view NABL scope



Scan to authenticate this report

ANALYTICAL REPORT

Sample code:	260-2025-04000633	Report code:	AR-25-KV-012671-01-01
Sample name:	Miduty Liver Detox Capsules	ULR:	TC640025000010860F
		Received on:	05.04.2025
		Analysed between:	05.04.2025 - 10.04.2025
Sample reference	Customer Provide details:- Batch No:-PC5-0082 DOM:-03/2025 DOE:-08/2026		
Quantity received:	60 Capsules	Sample packing:	Plastic Bottle
Condition on receipt:	Good	Discipline:	Chemical and Biological
Sampling:	NOT SAMPLED BY EUROFINS		
Group:	Nutraceuticals & Functional Foods		

HEAVY METALS	Result Unit	LOQ	FSSAI limit
KV2IZ KV Arsenic (As) Method: EASI-CHE-SOP-30			
Arsenic (As)	0.102 mg/kg	0.01	Max 1.1
KV2J5 KV Cadmium (Cd) Method: EASI-CHE-SOP-30			
Cadmium (Cd)	BLQ mg/kg	0.01	Max 1.5
KV2JE KV Copper (Cu) Method: EASI-CHE-SOP-30			
Copper (Cu)	0.108 mg/kg	0.05	Max 30
KV2J0 KV Lead (Pb) Method: EASI-CHE-SOP-30			
Lead (Pb)	0.042 mg/kg	0.01	Max 2.5
KV2J9 KV Mercury (Hg) Method: EASI-CHE-SOP-30			
Mercury (Hg)	BLQ mg/kg	0.01	Max 1.0
KV2JJ KV Methyl Mercury Method: EASI-CHE-SOP-53			
Methyl Mercury	BLQ mg/kg	0.01	Max 0.25
KV2J4 KV Tin (Sn) Method: EASI-CHE-SOP-30			
Tin (Sn)	0.376 mg/kg	0.05	Max 250

MICROBIOLOGICAL	Result Unit	FSSAI limit
KV024 KV Bacillus cereus ISO Method: ISO 7932		
Bacillus cereus	<10 cfu/g	-

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analysed.



Batch code: EUINDE-00038244
Report code: AR-25-KV-012671-01



MICROBIOLOGICAL

Result Unit

FSSAI limit

KV027 KV Coagulase positive staphylococci (staphylococcus a Coagulase Positive Staphylococci (Staphylococcus Aureus)	Method: ISO 6888-1 <10 cfu/g	-
KV031 KV Escherichia coli ISO Method: ISO 16649-2 Escherichia coli	<10 cfu/g	-
KV015 KV Listeria monocytogens ISO Method: ISO 11290-1 Listeria monocytogenes	Absent /g	Absent
KV018 KV Salmonella ISO Method: ISO 6579-1 Salmonella	Absent /25 g	Absent
KV003 KV Total plate count ISO Method: ISO 4833-1 Total plate count	<10 cfu/g	1x10 ⁴
KV009 KV Yeast & mould ISO Method: ISO 21527-2 Yeasts & Moulds	<10 cfu/g	1x10 ²

Sample Conclusion:

The results of tested analytes are in accordance to Food Safety and Standards (Food Products Standards and Food Additives) and (Contaminants, toxins and Residues) Regulations, 2011, in its currently valid version, wherever limits are available.

Note: Conclusion is provided with reference to tested analytes only.

BLQ= Below Limit of Quantification.

LOQ= Limit of Quantification.

The tests identified by the two letters code KV are performed by Eurofins Analytical Services India (Gurugram), INDIA.



Mr Surjit Singh
 Deputy Manager - Registration and Reporting



Mr Sandeep Tyagi
 Deputy Manager - Microbiology

***** END OF REPORT *****

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analysed.



Batch code: EUINDE-00038244
Report code: AR-25-KV-012671-01
 Non - Accredited

Sample code:	260-2025-04000633	Report code:	AR-25-KV-012671-01-02
Sample name:	Miduty Liver Detox Capsules	Received on:	05.04.2025
Sample reference	Customer Provide details-: Batch No-:PC5-0082 DOM-:03/2025 DOE-:08/2026	Analysed between:	05.04.2025 - 10.04.2025
Quantity received:	60 Capsules	Sample packing:	Plastic Bottle
Condition on receipt:	Good	Discipline:	Chemical and Biological
Sampling:	NOT SAMPLED BY EUROFINS		
Group:	Nutraceuticals & Functional Foods		

MICROBIOLOGICAL	Result Unit	FSSAI limit
KV043 KV Pseudomonas aeruginosa EP Method: USP 62		
Pseudomonas aeruginosa	Absent /g	-

Sample Conclusion:
 The results of tested analytes are in accordance to Food Safety and Standards (Food Products Standards and Food Additives) and (Contaminants, toxins and Residues) Regulations, 2011, in its currently valid version, wherever limits are available.

Note: Conclusion is provided with reference to tested analytes only.

BLQ= Below Limit of Quantification.
 LOQ= Limit of Quantification.

The tests identified by the two letters code KV are performed by Eurofins Analytical Services India (Gurugram), INDIA.



Mr Surjit Singh
 Deputy Manager - Registration and Reporting



Mr Sandeep Tyagi
 Deputy Manager - Microbiology

Remark: Report code AR-25-KV-012671-01-02 having 1 page is for non-accredited test parameters.

***** END OF REPORT *****

The results may not be reproduced except in full, without a written approval of the laboratory. The results relate only to the sample analysed.